

Engine Data

Emission Unit Number	Emission Unit Description	Is this an emergency engine?	Construction Date	Engine Model Year	Brake Horsepower (bhp)
EU25	Tub Grinder - DuraTech HD-12	No	April 2001	2001	460

Existing units: Initial notifications are required to be submitted by August 31, 2010 for the following:


Area sources: Non-emergency engines > 300 bhp, installed before June 12, 2006

Major sources: Non-emergency engines > 500 bhp, installed before December 19, 2002, and
Non-emergency engines > 100 and ≤ 500 bhp, installed before June 12, 2006

New units: Initial notifications are required to be submitted within 120 days of startup for the following:

Major sources: All engines > 500 bhp installed on or after December 19, 2002

Signature

Responsible Official Certification		
<input type="checkbox"/>	I certify the truth, accuracy, and completeness of this notification.	
Responsible Official Name	Responsible Official Signature	Date
Thomas B. Hadden III		8-31-2010

Submit this notification to the following agencies:

- Director, Air and Waste Management Division, U.S. Environmental Protection Agency, 901 N. 5th Street, Kansas City, KS 66101
- NESHAP Coordinator, Iowa Department of Natural Resources, 7900 Hickman, Suite 1; Windsor Heights, IA, 50324
- If the facility is located in either Linn County or Polk County, this notification shall also be submitted to the appropriate county office:

Polk County Public Works – Air Quality Division
5885 NE 14th Street; Des Moines, IA 50313

Linn County Public Health - Air Quality Division
501 13th Street NW; Cedar Rapids, IA 52405